ELSEVIER

Marine Micropaleontology 40 (2000) 441–443

MARINE MICROPALEONTOLOGY

www.elsevier.nl/locate/marmicro

Author Index Volume 40, 2000

Almogi-Labin, A., G. Schmiedl, C. Hemleben, R. Siman-Tov, M. Segl and D. Meischner, The influence of the NE winter monsoon on productivity changes in the Gulf of Aden, NW Arabian Sea, during the last 530 ka as recorded by foraminifera 40 (2000) 295

Baceta, J.I., see Ruiz, F. 40 (2000) 345
Bauch, H.A., see Didié, C. 40 (2000) 105
Buscail, R., see Schmiedl, G. 40 (2000) 167

Caulet, J.-P., see Vénec-Peyré, M.-T. 40 (2000) 321
Charrière, B., see Schmiedl, G. 40 (2000) 167

de Bovée, F., see Schmiedl, G. 40 (2000) 167
De Rijk, S., F.J. Jorissen, E.J. Rohling and S.R. Troelstra, Organic flux control on bathymetric zonation of Mediterranean benthic foraminifera 40 (2000) 151
Didié, C. and H.A. Bauch, Species composition and glacial–interglacial variations in the ostracode fauna of the northeast Atlantic during the past 200,000 years 40 (2000) 105

Eynaud, F., J.L. Turon, M.F. Sánchez-Goñi and S. Gendreau, Dinoflagellate cyst evidence of 'Heinrich-like events' off Portugal during the Marine Isotopic Stage 5 40 (2000) 9

Fenton, M., S. Geiselhart, E.J. Rohling and C. Hemleben, Aplanktonic zones in the Red Sea 40 (2000) 277
Findlay, C.S. and J.A. Flores, Subtropical Front fluctuations south of Australia (45°09′S, 146°17′E) for the last 130 ka years based on calcareous nannoplankton 40 (2000) 403
Findlay, C.S. and J. Giraudeau, Extant calcareous nannoplankton in the Australian Sector of the Southern Ocean (austral summers 1994 and 1995) 40 (2000) 417
Flores, J.A., see Findlay, C.S. 40 (2000) 403
Flores, J.-A., R. Gersonde, F.J. Sierro and H.-S. Niebler, Southern Ocean Pleistocene calcareous nannofossil events: calibration with isotope and geomagnetic stratigraphies 40 (2000) 377
Fujiwara, S., see Kitazato, H. 40 (2000) 135

Geiselhart, S., see Fenton, M. 40 (2000) 277
Gendreau, S., see Eynaud, F. 40 (2000) 9
Gersonde, R., see Flores, J.-A. 40 (2000) 377
Giraudeau, J., see Findlay, C.S. 40 (2000) 417
Gonzalez-Regalado, M.L., see Ruiz, F. 40 (2000) 345

Hemleben, C., see Almogi-Labin, A. 40 (2000) 295
Hemleben, C., see Schmiedl, G. 40 (2000) 167
Hemleben, Ch., see Fenton, M. 40 (2000) 277

0377-8398/00/$ - see front matter © 2000 Elsevier Science B.V. All rights reserved.
PII: S0377-8398(00)00055-4

Herguera, J.C., Last glacial paleoproductivity patterns in the eastern equatorial Pacific: benthic foraminifera records 40 (2000) 259

Jansen, J.H.F., see Ufkes, E. 40 (2000) 23
Jorissen, F.J., see De Rijk, S. 40 (2000) 151

Kanda, J., see Kitazato, H. 40 (2000) 135
Kato, Y., see Kitazato, H. 40 (2000) 135
Kennett, J.P., see Kucera, M. 40 (2000) 67
Kitazato, H., Y. Shirayama, T. Nakatsuka, S. Fujiwara, M. Shimanaga, Y. Kato, Y. Okada, J. Kanda, A. Yamaoka, T. Masuzawa and K. Suzuki, Seasonal phytodetritus deposition and responses of bathyal benthic foraminiferal populations in Sagami Bay, Japan: preliminary results from "Project Sagami 1996–1999" 40 (2000) 135
Kucera, M. and J.P. Kennett, Biochronology and evolutionary implications of Late Neogene California margin planktonic foraminiferal events 40 (2000) 67
Kuhnt, W., see Wollenburg, J.E. 40 (2000) 189

Lapointe, M., Modern diatom assemblages in surface sediments from the Maritime Estuary and the Gulf of St. Lawrence, Québec (Canada) 40 (2000) 43
Leppig, U. and M. Montenari, Organic-walled microfossils of possible dinoflagellate affinity from the Lower Permian of Sonora (northwest Mexico) 40 (2000) 1

Mackensen, A., S. Schumacher, J. Radke and D.N. Schmidt, Microhabitat preferences and stable carbon isotopes of endobenthic foraminifera: clue to quantitative reconstruction of oceanic new production? 40 (2000) 233
Masuzawa, T., see Kitazato, H. 40 (2000) 135
Medernach, L., see Schmiedl, G. 40 (2000) 167
Meischner, D., see Almogi-Labin, A. 40 (2000) 295
Montenari, M., see Leppig, U. 40 (2000) 1
Muñoz, J.M., see Ruiz, F. 40 (2000) 345

Nakatsuka, T., see Kitazato, H. 40 (2000) 135
Niebler, H.-S., see Flores, J.-A. 40 (2000) 377

Okada, H., see Takahashi, K. 40 (2000) 83
Okada, Y., see Kitazato, H. 40 (2000) 135

Picon, P., see Schmiedl, G. 40 (2000) 167

Radke, J., see Mackensen, A. 40 (2000) 233
Rohling, E.J., see De Rijk, S. 40 (2000) 151
Rohling, E.J., see Fenton, M. 40 (2000) 277
Ruiz, F., M.L. Gonzalez-Regalado, J.I. Baceta and J.M. Muñoz, Comparative ecological analysis of the ostracod faunas from low- and high-polluted southwestern Spanish estuaries: a multivariate approach 40 (2000) 345

Sánchez-Goñi, M.F., see Eynaud, F. 40 (2000) 9
Schmidt, D.N., see Mackensen, A. 40 (2000) 233
Schmiedl, G., F. de Bovée, R. Buscail, B. Charrière, C. Hemleben, L. Medernach and P. Picon, Trophic control of benthic foraminiferal abundance and microhabitat in the bathyal Gulf of Lions, western Mediterranean Sea 40 (2000) 167
Schmiedl, G., see Almogi-Labin, A. 40 (2000) 295
Schneider, R.R., see Ufkes, E. 40 (2000) 23
Schumacher, S., see Mackensen, A. 40 (2000) 233

Segl, M., see Almogi-Labin, A. 40 (2000) 295
Shimanaga, M., see Kitazato, H. 40 (2000) 135
Shirayama, Y., see Kitazato, H. 40 (2000) 135
Sierro, F.J., see Flores, J.-A. 40 (2000) 377
Siman-Tov, R., see Almogi-Labin, A. 40 (2000) 295
Suzuki, K., see Kitazato, H. 40 (2000) 135

Takahashi, K. and H. Okada, The paleoceanography for the last 30,000 years in the southeastern Indian Ocean by means of calcareous nannofossils 40 (2000) 83
Troelstra, S.R., see De Rijk, S. 40 (2000) 151
Turon, J.L., see Eynaud, F. 40 (2000) 9

Ufkes, E., J.H.F. Jansen and R.R. Schneider, Anomalous occurrences of *Neogloboquadrina pachyderma* (left) in a 420-ky upwelling record from Walvis Ridge (SE Atlantic) 40 (2000) 23

Vénec-Peyré, M.-T. and J.-P. Caulet, Paleoproductivity changes in the upwelling system of Socotra (Somali Basin, NW Indian Ocean) during the last 72,000 years: evidence from biological signatures 40 (2000) 321

Wollenburg, J.E. and W. Kuhnt, The response of benthic foraminifers to carbon flux and primary production in the Arctic Ocean 40 (2000) 189

Yamaoka, A., see Kitazato, H. 40 (2000) 135

ELSEVIER

Marine Micropaleontology 40 (2000) 445–450

MARINE MICROPALEONTOLOGY

www.elsevier.nl/locate/marmicro

Author Index Volumes 38–40, 1999–2000

Almogi-Labin, A., G. Schmiedl, C. Hemleben, R. Siman-Tov, M. Segl and D. Meischner, The influence of the NE winter monsoon on productivity changes in the Gulf of Aden, NW Arabian Sea, during the last 530 ka as recorded by foraminifera 40 (2000) 295
Andruleit, H.A., U. von Rad, A. Bruns and V. Ittekkot, Coccolithophore fluxes from sediment traps in the northeastern Arabian Sea off Pakistan 38 (2000) 285
Armand, L., see Nees, S. 38 (1999) 69
Armand, L., see Nees, S. 38 (2000) 311

Baceta, J.I., see Ruiz, F. 40 (2000) 345
Bauch, H.A., see Didié, C. 40 (2000) 105
Baumann, K.-H., see Kinkel, H. 39 (2000) 87
Baumann, K.-H., see Sprengel, C. 39 (2000) 157
Bemis, B.E., H.J. Spero, D.W. Lea and J. Bijma, Temperature influence on the carbon isotopic composition of *Globigerina bulloides* and *Orbulina universa* (planktonic foraminifera) 38 (2000) 213
Bijma, J., see Bemis, B.E. 38 (2000) 213
Billard, C., see Cros, L. 39 (2000) 1
Bollmann, J., B. Brabec, M.Y. Cortés and M. Geisen, Determination of absolute coccolith abundances in deep-sea sediments by spiking with microbeads and spraying (SMS-method) 38 (1999) 29
Boomer, I., *Fossil Nonmarine Ostracoda of the United States*, by Fred M. Swain 38 (2000) 309
Bown, P.R., see Street, C. 39 (2000) 265
Brabec, B., see Bollmann, J. 38 (1999) 29
Broerse, A.T.C., P. Ziveri and S. Honjo, Coccolithophore ($-CaCO_3$) flux in the Sea of Okhotsk: seasonality, settling and alteration processes 39 (2000) 179
Broerse, A.T.C., see Jordan, R.W. 39 (2000) 309
Bruns, A., see Andruleit, H.A. 38 (2000) 285
Buccianti, A., see Monechi, S. 39 (2000) 219
Buscail, R., see Schmiedl, G. 40 (2000) 167

Cachão, M. and M.T. Moita, *Coccolithus pelagicus*, a productivity proxy related to moderate fronts off Western Iberia 39 (2000) 131
Catrullo, D., see Lottaroli, F. 39 (2000) 239
Caulet, J.-P., see Vénec-Peyré, M.-T. 40 (2000) 321
Čepek, M., see Kinkel, H. 39 (2000) 87
Charrière, B., see Schmiedl, G. 40 (2000) 167
Cortés, M.Y., Further evidence for the heterococcolith–holococcolith combination *Calcidiscus leptoporus–Crystallolithus rigidus* 39 (2000) 35
Cortés, M.Y., see Bollmann, J. 38 (1999) 29
Cremer, H., Distribution patterns of diatom surface sediment assemblages in the Laptev Sea (Arctic Ocean) 38 (1999) 39

0377-8398/00/$ - see front matter © 2000 Elsevier Science B.V. All rights reserved.
PII: S0377-8398(00)00056-6

Cros, L., A. Kleijne, A. Zeltner, C. Billard and J.R. Young, New examples of holococcolith–heterococcolith combination coccospheres and their implications for coccolithophorid biology 39 (2000) 1

De Bovée, F., see Schmiedl, G. 40 (2000) 167
De Deckker, P., see Nees, S. 38 (1999) 69
De Deckker, P., see Nees, S. 38 (2000) 311
De Rijk, S., F.J. Jorissen, E.J. Rohling and S.R. Troelstra, Organic flux control on bathymetric zonation of Mediterranean benthic foraminifera 40 (2000) 151
Didié, C. and H.A. Bauch, Species composition and glacial–interglacial variations in the ostracode fauna of the northeast Atlantic during the past 200,000 years 40 (2000) 105

Erbacher, J., C. Hemleben, B.T. Huber and M. Markey, Correlating environmental changes during early Albian oceanic anoxic event 1B using benthic foraminiferal paleoecology 38 (1999) 7
Eynaud, F., J.L. Turon, M.F. Sánchez-Goñi and S. Gendreau, Dinoflagellate cyst evidence of 'Heinrich-like events' off Portugal during the Marine Isotopic Stage 5 40 (2000) 9

Fenton, M., S. Geiselhart, E.J. Rohling and C. Hemleben, Aplanktonic zones in the Red Sea 40 (2000) 277
Findlay, C.S. and J.A. Flores, Subtropical Front fluctuations south of Australia (45°09′S, 146°17′E) for the last 130 ka years based on calcareous nannoplankton 40 (2000) 403
Findlay, C.S. and J. Giraudeau, Extant calcareous nannoplankton in the Australian Sector of the Southern Ocean (austral summers 1994 and 1995) 40 (2000) 417
Finlayson, B., see Li, L. 38 (2000) 229
Flores, J.A., see Findlay, C.S. 40 (2000) 403
Flores, J.-A., R. Gersonde, F.J. Sierro and H.-S. Niebler, Southern Ocean Pleistocene calcareous nannofossil events: calibration with isotope and geomagnetic stratigraphies 40 (2000) 377
Fujita, K., H. Nishi and T. Saito, Population dynamics of *Marginopora kudakajimensis* Gudmundsson (Foraminifera: Soritidae) in the Ryukyu Islands, the subtropical northwest Pacific 38 (2000) 267
Fujiwara, S., see Kitazato, H. 40 (2000) 135

Gallagher, S., see Li, L. 38 (2000) 229
Gardin, S., see Monechi, S. 39 (2000) 219
Geiselhart, S., see Fenton, M. 39 (2000) 277
Geisen, M., see Bollmann, J. 38 (1999) 29
Gendreau, S., see Eynaud, F. 39 (2000) 9
Gersonde, R., see Flores, J.-A. 40 (2000) 377
Giraudeau, J., see Findlay, C.S. 40 (2000) 417
Gonzalez-Regalado, M.L., see Ruiz, F. 40 (2000) 345

Hagino, K., H. Okada and H. Matsuoka, Spatial dynamics of coccolithophore assemblages in the Equatorial Western-Central Pacific Ocean 39 (2000) 53
Hagino, K., see Jordan, R.W. 39 (2000) 309
Held, Z., see Rathburn, A.E. 38 (2000) 247
Hemleben, C., see Almogi-Labin, A. 40 (2000) 295
Hemleben, C., see Erbacher, J. 38 (1999) 7
Hemleben, C., see Schmiedl, G. 40 (2000) 167
Hemleben, Ch., see Fenton, M. 40 (2000) 277
Herguera, J.C., Last glacial paleoproductivity patterns in the eastern equatorial Pacific: benthic foraminifera records 40 (2000) 259
Hilgen, F.J., W. Krijgsman, I. Raffi, E. Turco and W.J. Zachariasse, Integrated stratigraphy and astronomical calibration of the Scrravallian/Tortonian boundary section at Monte Gibliscemi (Sicily, Italy) 38 (2000) 181
Honjo, S., see Broerse, A.T.C. 39 (2000) 179

Huber, B.T., see Erbacher, J. 38 (1999) 7

Ittekkot, V., see Andruleit, H.A. 38 (2000) 285

Janofske, D., see Karwath, B. 39 (2000) 43
Jansen, J.H.F., see Ufkes, E. 40 (2000) 23
Jordan, R.W. and A. Winter, Assemblages of coccolithophorids and other living microplankton off the coast of Puerto Rico during January–May 1995 39 (2000) 113
Jordan, R.W., A.T.C. Broerse, K. Hagino, H. Kinkel, C. Sprengel, K. Takahashi and J.R. Young, Taxon lists for studies of modern nannoplankton 39 (2000) 309
Jorissen, F.J., see De Rijk, S. 40 (2000) 151

Kameo, K. and T. Sato, Biogeography of Neogene calcareous nannofossils in the Caribbean and the eastern equatorial Pacific—floral response to the emergence of the Isthmus of Panama 39 (2000) 201
Kanda, J., see Kitazato, H. 40 (2000) 135
Karwath, B., D. Janofske, F. Tietjen and H. Willems, Temperature effects on growth and cell size in the marine calcareaous dinoflagellate *Thoracospaera heimii* 39 (2000) 43
Kato, Y., see Kitazato, H. 40 (2000) 135
Kawahata, H., see Ohkushi, K. 38 (2000) 119
Kennett, J.P., see Kucera, M. 40 (2000) 67
Kinkel, H., K.-H. Baumann and M. Čepek, Coccolithophores in the equatorial Atlantic Ocean: response to seasonal and Late Quaternary surface water variability 39 (2000) 87
Kinkel, H., see Jordan, R.W. 39 (2000) 309
Kitazato, H., Y. Shirayama, T. Nakatsuka, S. Fujiwara, M. Shimanaga, Y. Kato, Y. Okada, J. Kanda, A. Yamaoka, T. Masuzawa and K. Suzuki, Seasonal phytodetritus deposition and responses of bathyal benthic foraminiferal populations in Sagami Bay, Japan: preliminary results from "Project Sagami 1996–1999" 40 (2000) 135
Kleijne, A., see Cros, L. 39 (2000) 1
Koizumi, I., see Shiga, K. 38 (2000) 91
Krijgsman, W., see Hilgen, F.J. 38 (2000) 181
Kucera, M. and J.P. Kennett, Biochronology and evolutionary implications of Late Neogene California margin planktonic foraminiferal events 40 (2000) 67
Kuhnt, W., see Wollenburg, J.E. 40 (2000) 189

Labracherie, M., see Nees, S. 38 (1999) 69
Labracherie, M., see Nees, S. 38 (2000) 311
Langer, M.R., Origin of foraminifera: conflicting molecular and paleontological data? 38 (1999) 1
Lapointe, M., Modern diatom assemblages in surface sediments from the Maritime Estuary and the Gulf of St. Lawrence, Québec (Canada) 40 (2000) 43
Lea, D.W., see Bemis, B.E. 38 (2000) 213
Leppig, U. and M. Montenari, Organic-walled microfossils of possible dinoflagellate affinity from the Lower Permian of Sonora (northwest Mexico) 40 (2000) 1
Levin, L.A., see Rathburn, A.E. 38 (2000) 247
Li, L., S. Gallagher and B. Finlayson, Foraminiferal response to Holocene environmental changes of a tidal estuary in Victoria, southeastern Australia 38 (2000) 229
Lohmann, K.C., see Rathburn, A.E. 38 (2000) 247
Lottaroli, F. and D. Catrullo, The calcareous nannofossil biostratigraphic framework of the Late Maastrichtian–Danian North Sea chalk 39 (2000) 239

Mackensen, A., S. Schumacher, J. Radke and D.N. Schmidt, Microhabitat preferences and stable carbon isotopes of endobenthic foraminifera: clue to quantitative reconstruction of oceanic new production? 40 (2000) 233

Markey, M., see Erbacher, J. 38 (1999) 7
Masuzawa, T., see Kitazato, H. 40 (2000) 135
Matsuoka, H., see Hagino, K. 39 (2000) 53
Medernach, L., see Schmiedl, G. 40 (2000) 167
Meischner, D., see Almogi-Labin, A. 40 (2000) 295
Moita, M.T., see Cachão, M. 39 (2000) 131
Monechi, S., A. Buccianti and S. Gardin, Biotic signals from nannoflora across the iridium anomaly in the upper Eocene of the Massignano section: evidence from statistical analysis 39 (2000) 219
Montenari, M., see Leppig, U. 40 (2000) 1
Muñoz, J.M., see Ruiz, F. 40 (2000) 345

Nakatsuka, T., see Kitazato, H. 40 (2000) 135
Nees, S., L. Armand, P. De Deckker, M. Labracherie and V. Passlow, A diatom and benthic foraminiferal record from the South Tasman Rise (southeastern Indian Ocean): implications for palaeoceanographic changes for the last 200,000 years 38 (1999) 69
Nees, S., L. Armand, P. De Deckker, M. Labracherie and V. Passlow, Erratum to "A diatom and benthic foraminiferal record from the South Tasman Rise (southeastern Indian Ocean): implications for palaeoceanographic changes for the last 200,000 years" [Marine Micropaleontology 38 (2000) 69–89] 38 (2000) 311
Neuer, S., see Sprengel, C. 39 (2000) 157
Niebler, H.-S., see Flores, J.-A. 40 (2000) 377
Nishi, H., see Fujita, K. 38 (2000) 267

Ohkushi, K., E. Thomas and H. Kawahata, Abyssal benthic foraminifera from the northwestern Pacific (Shatsky Rise) during the last 298 kyr 38 (2000) 119
Okada, H., see Hagino, K. 39 (2000) 53
Okada, H., see Takahashi, K. 39 (2000) 73
Okada, H., see Takahashi, K. 40 (2000) 83
Okada, Y., see Kitazato, H. 40 (2000) 135

Passlow, V., see Nees, S. 38 (1999) 69
Passlow, V., see Nees, S. 38 (2000) 311
Perilli, N., Calibration of early–middle Toarcian nannofossil events based on high-resolution ammonite biostratigraphy in two expanded sections from the Iberian Range (East Spain) 39 (2000) 293
Picon, P., see Schmiedl, G. 40 (2000) 167

Radke, J., see Mackensen, A. 40 (2000) 233
Raffi, I., see Hilgen, F.J. 38 (2000) 181
Rathburn, A.E., L.A. Levin, Z. Held and K.C. Lohmann, Benthic foraminifera associated with cold methane seeps on the northern California margin: Ecology and stable isotopic composition 38 (2000) 247
Rohling, E.J., see De Rijk, S. 40 (2000) 151
Rohling, E.J., see Fenton, M. 40 (2000) 277
Ruiz, F., M.L. Gonzalez-Regalado, J.I. Baceta and J.M. Muñoz, Comparative ecological analysis of the ostracod faunas from low- and high-polluted southwestern Spanish estuaries: a multivariate approach 40 (2000) 345

Saito, T., see Fujita, K. 38 (2000) 267
Sánchez-Goñi, M.F., see Eynaud, F. 40 (2000) 9
Sato, T., see Kameo, K. 39 (2000) 201
Schmidt, D.N., see Mackensen, A. 40 (2000) 233
Schmiedl, G., F. de Bovée, R. Buscail, B. Charrière, C. Hemleben, L. Medernach and P. Picon, Trophic control of benthic foraminiferal abundance and microhabitat in the bathyal Gulf of Lions, western Mediterranean Sea 40 (2000) 167

Schmiedl, G., see Almogi-Labin, A. 40 (2000) 295
Schneider, R.R., see Ufkes, E. 40 (2000) 23
Schumacher, S., see Mackensen, A. 40 (2000) 233
Segl, M., see Almogi-Labin, A. 40 (2000) 295
Shiga, K. and I. Koizumi, Latest Quaternary oceanographic changes in the Okhotsk Sea based on diatom records 38 (2000) 91
Shimanaga, M., see Kitazato, H. 40 (2000) 135
Shirayama, Y., see Kitazato, H. 40 (2000) 135
Sierro, F.J., see Flores, J.-A. 40 (2000) 377
Siman-Tov, R., see Almogi-Labin, A. 40 (2000) 295
Spero, H.J., see Bemis, B.E. 38 (2000) 213
Sprengel, C. and J.R. Young, First direct documentation of associations of *Ceratolithus cristatus* ceratoliths, hoop-coccoliths and *Neosphaera coccolithomorpha* planoliths 39 (2000) 39
Sprengel, C., K.-H. Baumann and S. Neuer, Seasonal and interannual variation of coccolithophore fluxes and species composition in sediment traps north of Gran Canaria (29°N 15°W) 39 (2000) 157
Sprengel, C., see Jordan, R.W. 39 (2000) 309
Street, C. and P.R. Bown, Palaeobiogeography of Early Cretaceous (Berriasian–Barremian) calcareous nannoplankton 39 (2000) 265
Suzuki, K., see Kitazato, H. 40 (2000) 135

Takahashi, K. and H. Okada, Environmental control on the biogeography of modern coccolithophores in the southeastern Indian Ocean offshore of Western Australia 39 (2000) 73
Takahashi, K. and H. Okada, The paleoceanography for the last 30,000 years in the southeastern Indian Ocean by means of calcareous nannofossils 40 (2000) 83
Takahashi, K., see Jordan, R.W. 39 (2000) 309
Thierstein, H.R., see Young, J.R. 39 (2000) 7
Thomas, E., see Ohkushi, K. 38 (2000) 119
Tietjen, F., see Karwath, B. 39 (2000) 43
Troelstra, S.R., see De Rijk, S. 39 (2000) 151
Turco, E., see Hilgen, F.J. 38 (2000) 181
Turon, J.L., see Eynaud, F. 40 (2000) 9

Ufkes, E., J.H.F. Jansen and R.R. Schneider, Anomalous occurrences of *Neogloboquadrina pachyderma* (left) in a 420-ky upwelling record from Walvis Ridge (SE Atlantic) 40 (2000) 23

Vénec-Peyré, M.-T. and J.-P. Caulet, Paleoproductivity changes in the upwelling system of Socotra (Somali Basin, NW Indian Ocean) during the last 72,000 years: evidence from biological signatures 40 (2000) 321
Vink, A., K.A.F. Zonneveld and H. Willems, Distributions of calcareous dinoflagellate cysts in surface sediments of the western equatorial Atlantic Ocean, and their potential use in palaeoceanography 38 (2000) 149
von Rad, U., see Andruleit, H.A. 38 (2000) 285

Willems, H., see Karwath, B. 39 (2000) 43
Willems, H., see Vink, A. 38 (2000) 149
Winter, A., see Jordan, R.W. 39 (2000) 113
Wollenburg, J.E. and W. Kuhnt, The response of benthic foraminifers to carbon flux and primary production in the Arctic Ocean 40 (2000) 189

Yamaoka, A., see Kitazato, H. 40 (2000) 135
Young, J.R., see Cros, L. 39 (2000) 1
Young, J.R., see Jordan, R.W. 39 (2000) 309
Young, J.R., see Sprengel, C. 39 (2000) 39

Zachariasse, W.J., see Hilgen, F.J. 38 (2000) 181
Zeltner, A., see Cros, L. 39 (2000) 1
Ziveri, P., see Broerse, A.T.C. 39 (2000) 179
Zonneveld, K.A.F., see Vink, A. 38 (2000) 149